



HiTemp

Wi-Fi App Setup



Account Login

Use an email address and password to register, login to the app or reset the password.




Fig 2. Account Registration Interface




Fig 1. Login Interface




Fig 3. Forgot Password Interface

1. **Account Registration:** To register an account, click ① to jump to the Account Registration interface, fill in the relevant information and click ② to receive verification code. While completing the application information, click ③ to read the details of the Privacy Policy, click ④ to agree, and click ⑤ to complete registration. Please note, the verification code is only valid for 15min, if you surpass this you will need to request another.
2. **Log in:** Follow the instructions on the login page and enter your registered email address and password, click ⑥ and jump to device list;
3. **Forgot Password:** If you forget your password, click ⑦, jump to the Forgot Password interface (Fig.3). Follow the instructions on the page, fill in the relevant information, then click ⑧ to receive a verification code to your mailbox, click ⑨ to confirm and password reset is done.

Add Device

After login, the app will take you to the 'My Device' interface. Follow the instructions to add Wi-Fi or DTU:




Fig. 5 The left-hand menu




Fig. 4 My Device Interface




Fig. 6 Add Device Interface

Wi-Fi Configure Network




Fig. 7 WiFi Module On Interface

Fig. 8 Enter Password Interface

Fig. 9 Connect Specified WiFi

1. Follow the instructions on the page (Fig.7), press and hold the button on the module for 1 second until two lights are on (meaning the AP connection is activated), click ⑩ to confirm, click ⑪ to turn the page;
2. Click ⑫ to enter the WIFI password for the current connection, click ⑬ to confirm;
3. Jump to system settings and connect specified WIFI, click ⑭ to select the “Smart_AP_0000”, click ⑮ to popup window(Fig.10), follow the instructions and then jump to WIFI setting interface(Fig.11);
4. Slide the page back to configure network interface (Fig. 12), click ⑯ to enter the next stage.




Fig. 10 Setting Interface

Fig. 11 WiFi Setting Interface

Fig.12 Connect Specified WiFi




Fig. 13 Configure Network Interface




Fig. 14 Bond Device Interface




Fig.15 Scanning Interface

5. To join the WLAN Network, click ⑪ (Fig. 13); click ⑲ to bond device (Fig. 14);
6. Press 'Confirm' to allow the app to use the camera for scanning the Barcode on your unit. Then, scan the unit's barcode.
7. Press 'Confirm' again to complete device bonding. Head back to the main interface (Fig. 18).



Fig 16. Barcode




Fig 17. Bond Device Complete Interface

Device Management




Fig 19. Troubleshooting Interface

Fig 18. Device Main Interface

Fig 20. Setting Interface




Fig 21. Mode Switching Interface

Fig 22. Timers Setting Interface

Fig 23. Temperature Curve

	ON/OFF	Click to turn the unit on/off		Intelligent	Select save to change the working mode
	Timer Settings	Click to enter timer on/off & vacation mode		Eco	Select save to change the working mode
	Message	View fault messages		Hybrid	Select save to change the working mode
③ Fig 18.	Mode	Mode Changing: Intelligent, Eco, Hybrid & Fast Heating		Fast Heating	Select save to change the working mode
	Settings	Change function settings of the unit		Temperature Curve	Display the corresponding temperature graph